



# **prime** fastener<sup>®</sup>

COMPANY PROFILE

[www.primefastener.com](http://www.primefastener.com)

# INDEX

---

Certificate	2
History	3
Brand Innovation	4
Global Player	5
Thinking Green	6
Dongguan Factory	7
Colour Finishes	8-11
Colour Chart	12-14
Jean Button Systems	16
Jean Rivet Systems	17
Snap Fasteners	19
Pronged Snap Fasteners	20
Alloy Sew On Buttons and Shank Buttons	21
Metal Buckles	21
Eyelets	22
Hook and Bar	23
Metal Plates	24
Leather Patches and Woven Labels	25
Zip Puller, Cord End and Seals	26
Machines	27
Quality Control and R&D	28
Contact	back page



## Oeko-Tex Certification

Prime Fastener is proudly Oeko-Tex Class 1 certified

TESTEX AG, SWISS TEXTILE TESTING INSTITUTE  
GOTTHARDSTRASSE 61  
8002 ZÜRICH, SWITZERLAND

**OEKO-TEX®**  
INSPIRING CONFIDENCE

# CERTIFICATE

**The company**

**Prime Fastener (China Factory)**  
No. 13, Er Heng Road, Kong Wu Industrial Zone, Shi Pai Town  
Dongguan, Guangdong,  
China

**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100**

**HKA0 098696 TESTEX**  
Tested for harmful substances  
[www.oeko-tex.com/standard100](http://www.oeko-tex.com/standard100)



is granted authorisation according to STANDARD 100 by  
OEKO-TEX® to use the STANDARD 100 by OEKO-TEX®  
mark, based on our test report HK001 205459.1

**for the following articles:**

**Accessories made of zinc alloy or brass, painted (in a limited range of 8 colourants) and lacquered; electroplated and lacquered in dark alloy, red copper, white zinc, imitation pewter, antique brass, imitation nickel colours, with or without nylon parts in black or insert of unsaturated polyester resin buttons in colours (in a limited range of 6 pigment dyestuffs); accessories made of aluminium or #304 stainless steel in raw (based on material pre-certified according to STANDARD 100 by OEKO-TEX®)**

The results of the inspection made according to STANDARD 100 by OEKO-TEX®, Annex 6, **product class I** have shown that the above mentioned goods meet the human-ecological requirements of the STANDARD 100 by OEKO-TEX® presently established in Annex 6 for baby articles.

The certified articles fulfil requirements of Annex XVII of REACH (incl. the use of azo colourants, nickel release, etc.), the American requirement regarding total content of lead in children's articles (CPSIA; with the exception of accessories made from glass) and of the Chinese standard GB 18401:2010 (labelling requirements were not verified).

The holder of the certificate, who has issued a conformity declaration according to ISO 17050-1, is under an obligation to use STANDARD 100 by OEKO-TEX® mark only in conjunction with products that conform with the sample initially tested. The conformity is verified by audits.

**The certificate HKA0 098696 is valid until 30.06.2023**

Zurich, 05.07.2022



**Matz Bachmann**  
Managing Director



**Faissal Rizal**  
Ecology Team Leader

OEKO-TEX® Association | Gotthardstrasse 23 | CH-8002 Zürich



*‘We believe in creating  
lifelong customer relationships.’*

*prime fastener founder,  
Emanuel Isserow*

## History

---

A company built on the principles of integrity, quality, service, relationships and price. Prime Fastener was founded in 1993.

This family business was established to what is now recognised as an internationally-respected manufacturer that now supplies a global client base.

As a family business, Prime Fastener has always maintained the personal touch, creating lasting relationships with customers that stand the test of time.



## Brand innovation through service

---

Part of the parcel of the company's principle of providing quality products to its customers over the years is that "service comes first" - this is evident in our commitment to making a huge variety of products available at all times. When competitors have difficulty supplying on time, Prime Fastener offers record turnaround times, often going the distance to ensure delivery against all odds. As the company looks towards new horizons and seek to build on past successes, it is this commitment to quality, rand and personal service that provides a solid foundation for future growth.

### BRANDING

We live in an age where the importance of branding cannot be underestimated- as the symbolic representation of a company's ideology and identity, great sums are invested in maintaining and communication a brand's essence in order to ensure it retains its unique place in the mind of the consumers.

Whether it be our own company identity or that of our customers, Prime Fastener understands the importance of branding.

This is why we've always been at the forefront of innovations in our industry and continue to enable the growth of brands as we expand into new territories as a global industry leader.

### YOUR CONNECTION TO THE WORLD OF FASHION

As an industry leader, Prime Fastener supplies world-class custom made products that meet the most stringent specifications. This is why the company enjoys solid relationships with some of the world's leading fashion brands. With outstanding service and exacting standards of quality that are the result of years of expertise, clients can rest assured that Prime Fastener's primary goal is to secure their success.

It is the commitment to excellence which has seen the company develop lifelong customer relationships with leading brands in the Mens wear, Ladies wear, Children's wear, Jeans wear and Work wear categories, becoming the preferred supplier to a range of leading fashion and utility brands globally.

## A Global Player



With Operations In China (factory), Hong Kong, Mauritius, South Africa And India, Prime Fastener is successfully competing in the international arena. Along with this global perspective, factors in the industrial sector have lead the company to diversify and pioneer environmentally friendly solutions in various industries.

These, and other improvements, have been part of Prime Fastener's shift from a company whose heritage and main focus was the garment and apparel industry, to embracing a wider range of industries. As the company has grown, customers and staff have remained as strong as ever, ensuring the company continues to enjoy buoyant growth and outperform its competitors.

### INTEGRITY

Integrity is our promise of consistency of actions, values, methods, measures, principles, expectations, and outcomes.

### QUALITY

Our Quality of products meets international customer's requirements and ISO2000 specifications and Oeko-Tex Standards with Nickel Free, Phthalate Free, Lead Free and Ferrous Free products available.

### SERVICE

Prime Fastener includes assistance in planning, installation, training, maintenance and upgrading of your trimming requirements.

### RELATIONSHIP

Customer and supplier Relationship involves using technology to organize, automate, and synchronize our business processes with our belief in the motto "customers come first".

### PRICE

In the global world our Prices are highly competitive and always in line with market requirements.



## Thinking green for a better tomorrow

### CONSERVING THE ENVIRONMENT

Always at the forefront of advances in its sector, Prime Fastener has pioneered environmentally-friendly product development, passing the benefits on to its customers and the environment.

Among these are the R60-million ecological conversion of our production plants and numerous other measures which underscore our commitment to conserving the environment

### NICKEL FREE

In accordance with strict international criteria, our trend marked “nickel free” logo means peace of mind. In line with this policy, none of our products contain nickel, which has been implicated in a range of skin reactions.

### WATER WISE

Minimising waste and wastage is of great importance to us, which is why we’re committed to recycling and purifying the water used in our production plants.

### PHthalate FREE

Phthalate or phthalate esters are mainly used as plasticiser which assist in the flexibility, transparency, durability and longevity of manufactured items. At Prime Fastener we were one of the first trimming supply companies worldwide to introduce phthalate free polyester buttons, toggles and rubber labels in order to address health concerns.

### LEAD FREE

The use of lead in the electroplating of metal surfaces has been around for many years, although only recently has the danger of this been highlighted. In line with the world standards, we at Prime Fastener encourage our customers to request lead-free products





## Dongguan Factory



### DONGGUAN PLANT

Prime Fastener opened our production factory Dongguan, China – It occupies a floor area of 2200 square meters, with a monthly output reaching 200 million pieces.

Prime Fastener is committed to using only the best material and plating processes ensuring high-tech production and product quality in order to meet the most stringent international standards.

With the emerging demand for quality products, we invested in high quality machinery to allow for expansion in our production capacity without compromising in quality. Our R&D team as well as design and fashion experts continue to develop unmatched manufacturing techniques, innovative designs and ideas each year, in order to support international trends and fashion .

### TECHNICAL SUPPORT

To further provide our support to customers, our skilled technical support teams are available for factory visit and offer professional advice to our customers worldwide.

We address technical challenges that customers may incur with our experienced team to provide customers with a fast and reliable service solution to meet our customers needs.

### SOCIAL AND EMPLOYEE COMPLIANCE

Prime Fastener prides itself in ensuring that our company policies and employee benefits always exceed standard factory expectations.

Our committed staff are the key to our success and we continue to strive to ensure that our team are skilled and provided the necessary training and support in order to be able to excel in their areas of expertise .

We are constantly working to ensure safety of staff within the working environment with regular safety courses.





## Colour Finishes - 01



PF001  
Nickel



PF002  
Imitation Nickel



PF003  
Imitation Dull Nickel



PF004  
Dull Nickel



PF005  
Sprayed Imitation  
Dull Nickel



PF006  
Sprayed Nickel



PF007  
Hanging Dull Nickel



PF008  
Hanging Sprayed  
Dull Nickel



PF009  
Hanging Imitation  
Nickel



PF010  
Red Imitation  
Nickel



PF011  
Yellow Hyaline  
Imitation Dull Nickel



PF012  
Imitation Brass Nickel



PF013  
Tin



PF014  
Oxidised Tin



PF015  
Alloy



PF016  
Blue Zinc



PF017  
White Zinc



PF018  
Pewter



PF019  
Dull Pewter



PF020  
Imitation Pewter



PF021  
Imitation Dull Pewter



PF022  
Gun Metal



PF023  
Imitation Gun Metal



PF024  
Dull Gun Metal



PF025  
Imitation Dull  
Gun Metal



PF026  
Hanging  
Imitation Gun Metal



PF027  
Imitation Gun Metal  
Brushed



PF028  
Fermented Tin



PF029  
Dark Alloy



PF030  
Blue/Alloy



PF031  
Sprayed/Middle  
Imitation Gun metal



PF032  
Hanging/Sprayed  
Dull Gun Metal



PF033  
Steel Oxidized



PF034  
Brass Alloy



PF035  
Red Alloy



PF036  
Black Tin

1. Easily Oxidised Irregular Effect Nickel Free
2. Colour may vary depending on base material, logo design and button shape.
3. Finishes shown on this colour chart are based on brass material and serve for reference only.






























## Colour Finishes - 02





1. Ø Easily Oxidised    Ø Irregular Effect    \* Nickel Free
2. Colour may vary depending on base material, logo design and button shape.
3. Finishes shown on this colour chart are based on brass material and serve for reference only.



## Colour Finishes - 03

					
PF073 Sprayed Anti-Brass	PF074 Dull Anti-Brass	PF075 Dark Anti-Brass	PF076 Japanese Anti-Brass	PF077 Imitation Japanese Anti-Brass	PF078 Dull Japanese Anti-Brass
					
PF079 White Anti-Brass	PF080 Anti-Brass Brushed	PF081 Oxidised Red Bronze	PF082 Imitation Gold	PF083 Dull Gold	PF084 Hanging Polished Gold
					
PF085 Hanging Imitation Brass	PF086 Hanging Rose Gold	PF087 Hanging Copper	PF088 Hanging Pearl Nickel	PF089 Brushed Hanging Imitation Gun Metal	PF090 Hanging Antique Brass
					
PF091 Red Anti-Brass	PF092 Brass Tin	PF093 Old Tin	PF094 PF056 + Dot Enamel	PF095 Orange Oxi Shiny Copper	PF096 PF043 + Dot Enamel
					
PF097 Matt Green Enamel	PF098 Imitation Antique Silver	PF099 Imitation Nickel + Spray Paint & 2 Colour Dot Enamel	PF111 Rubberised Matt Black	PF112 Champagne Gold	

1.  Easily Oxidised     Irregular Effect    \* Nickel Free
2. Colour may vary depending on base material, logo design and button shape.
3. Finishes shown on this colour chart are based on brass material and serve for reference only.



## Environmentally Friendly Colour Card



PFE1000  
Matt Stainless Steel




PFE1001  
Shiny Stainless Steel



PFE1002  
Dull Imitation Pewter



PFE1003  
Imitation Silver Pewter



PFE2000  
Brass



PFE2001  
Colourful Brass



PFE2002  
Imitation Brass



PFE2003  
Brass Barrel Enamel



PFE2005  
Anti Brass White



PFE2006  
Anti Brass



PFE2007  
Dark Alloy



PFE2008  
Anti Brass Brown



PFE3000  
Copper



PFE3001  
Dull Copper



PFE3002  
Copper Black



PFE3003  
Copper Green



PFE3004  
Copper Red



PFE3005  
Red Anti Copper



PFE3006  
Red Copper Green



PFE3007  
Dull Red Copper



PFE3008  
Faded Red Copper



PFE3009  
Black Shiny Copper



PFE3010  
Orange Shiny Copper



PFE3011  
Dark Anti Copper



**90%<sup>LESS</sup>**  
HARMFUL METAL  
WASTE DISCHARGE



**75%<sup>LESS</sup>**  
WATER USAGE



**90%**  
RECYCLED WATER



**60%<sup>LESS</sup>**  
ELECTRICITY USAGE

Our **ECO** Range is free of harmful chemicals such as Cyanide.  
Our **ECO** Range has reduced water consumption resulting in less discharge into our environment with the use of recycled water.  
Our **ECO** Range has reduced energy consumption compared to traditional electroplating.

\* Nickel Free



© Copyright - All rights reserved  
ver 004 220818

## Colour Chart - 01

						1000 Green Beige	1001 Pale Beige	1002 Sand Yellow
1003 Signal Yellow	1004 Dark Golden Yellow	1005 Honey Yellow	1006 Maize Yellow	1007 Chrome Yellow	1011 Brown Beige	1012 Lemon Yellow	1013 Pearl White	
1014 Dark Ivory	1015 Light Ivory	1016 Sulphur Yellow	1017 Saffron Yellow	1018 Zinc Yellow	1019 Grey Beige	1020 Olive Yellow	1021 Cadmium Yellow	
1023 Traffic Yellow	1024 Ochre Yellow	1027 Curry Yellow	1028 Mellon Yellow	1032 Broom Yellow	1033 Dahlia Yellow	1034 Pastel Yellow	2000 Yellow Orange	
2001 Red Orange	2002 Vermillion	2003 Pastel Orange	2004 Pure Orange	2008 Light Red Orange	2009 Traffic Orange	2010 Signal Orange	2011 Deep Orange	
2012 Salmon Orange	3000 Flame Red	3001 RAL Signal Red	3002 Carmine Red	3003 Ruby Red	3004 Purple Red	3005 Wine Red	3007 Black Red	
3009 Oxide Red	3011 Brown Red	3012 Beige Red	3013 Tomato Red	3014 Antique Pink	3015 Light Pink	3016 Coral Red	3017 Rose	
3018 Strawberry Red	3020 Traffic Red	3022 Dark Salmon Red	3027 Raspberry Red	3031 Orient Red	4001 Red Lilac	4002 Red Violet	4003 Heather Violet	
4004 Claret Violet	4005 Blue Lilac	4006 Traffic Purple	4007 Purple Violet	4008 Signal Violet	4009 Pastel Violet	4010 Telemagenta	5000 Violet Blue	

## Colour Chart - 02

5001 Green Blue	5002 Ultramarine Blue	5003 Dark Sapphire Blue	5004 Black Blue	5005 Signal Blue	5007 Brilliant Blue	5008 Grey Blue	5009 Light Azure Blue
5010 Gentian Blue	5011 Steel Blue	5012 Light Blue	5013 Dark Cobalt Blue	5014 Pigeon Blue	5015 Middle Sky Blue	5017 Traffic Blue	5018 Turkish Blue
5019 Capri Blue	5020 Ocean Blue	5021 Water Blue	5022 Night Blue	5023 Fern Blue	5024 Pastel Blue	6000 Patine Green	6001 Middle Emerald Green
6002 Leaf Green	6003 Middle Olive Green	6004 Blue Green	6005 Light Moss Green	6006 Grey Olive	6007 Bottle Green	6008 Brown Green	6009 Fir Green
6010 Middle Grass Green	6011 Reseda Green	6012 Black Green	6013 Reed Green	6014 Yellow Olive	6015 Black Olive	6016 Turquoise Green	6017 Pastel Green
6018 Yellow Green	6019 Pastel Green	6020 Chrome Green	6021 Pale Green	6022 Brown Olive	6024 Traffic Green	6025 Bracken Green	6026 Opal Green
6027 Turkish Green	6028 Pine Tree Green	6029 Mint Green	6032 Signal Green	6033 Turquoise Blue	6034 Pale Turquoise	7000 Dark Squirrel Grey	7001 Silver Grey
7002 Olive Grey	7003 Moss Grey	7004 Signal Grey	7005 Mouse Grey	7006 Beige Grey	7008 Khaki Grey	7009 Green Grey	7010 Tarpaulin Grey

## Colour Chart - 03

7011 Iron Grey	7012 Basalt Grey	7013 Brown Grey	7015 Slate Grey	7016 Anthracite Grey	7021 Black Grey	7022 Umber Grey	7023 Concrete Grey
7024 Graphite Grey	7026 Granite Grey	7030 Stone Grey	7031 Blue Grey	7032 Grey	7032 Cement Grey	7034 Yellow Grey	7035 Grey
7036 Platinum Grey	7037 Dusty Grey	7038 Agate Grey	7069 Quartz Grey	7040 Window Grey	7042 Traffic Grey A	7043 Traffic Grey B	7044 Silky Grey
7045 Telegrey 1	7046 Telegrey 2	7047 Telegrey 4	8000 Green Brown	8001 Gold Brown	8002 Signal Brown	8003 Clay Brown	8004 Copper Brown
8007 Fawn Brown	8008 Olive Brown	8011 Brown	8012 Red Brown	8014 Sepia Brown	8015 Chestnut Brown	8016 Mahogany Brown	8017 Chocolate Brown
8019 Grey Brown	8022 Black Brown	8023 Orange Blue	8024 Biege Brown	8025 Pale Brown	8028 Earth Brown	9001 Cream	9002 Grey White
9003 Signal White	9004 Signal Black	9005 Black	9010 Pure White	9011 Graphite Black	9016 Traffic White	9017 Traffic Black	9018 Papyrus White



# THE REAL DEAL











*styled for individuals*

JEAN BUTTON & RIVETS





System	Image	Attaching Nails	Available Sizes	Material / specifications
<b>N - 1</b>		<b>N - 2P</b> 	14, 15, 17mm	<ul style="list-style-type: none"> <li>- Made from Brass, Steel or Alloy.</li> <li>- Uses a capped twin prong underpart.</li> <li>- Available in one tone or two tone.</li> <li>- Available in short shank.</li> <li>- Separation strength 20kg</li> </ul>
<b>N - 2</b>		<b>N - SP</b> 	14, 15, 17, 20, 22, 24mm	<ul style="list-style-type: none"> <li>- Made from Brass, Steel or Alloy.</li> <li>- Swivel Type made form Brass.</li> <li>- Attached with single prong underpart.</li> <li>- Available in one tone or two tone.</li> </ul>
<b>N - 3</b>		<b>N - AH</b> 	11.5, 12.5, 14, 15, 17mm	<ul style="list-style-type: none"> <li>- Made from Brass/Steel and Nylon Plastic.</li> <li>- Attached with an arrow head underpart.</li> <li>- Available in one tone or two tone.</li> <li>- Separation strength 30kg</li> </ul>
<b>N - 4</b>		<b>N - AH</b> 	12, 12.5, 14, 15, 17, 18, 19mm	<ul style="list-style-type: none"> <li>- Made from Brass/Steel and Nylon Plastic.</li> <li>- Attached with an arrow head underpart.</li> <li>- Available in one tone or two tone.</li> <li>- Separation strength 30kg</li> </ul>
<b>N - 5</b>		<b>N - SP</b> 	14, 15, 17, 18, 19, 20, 22, 25mm	<ul style="list-style-type: none"> <li>- Made from Brass/Steel</li> <li>- Attached with a single prong underpart.</li> <li>- Available in one tone or two tone.</li> <li>- Separation strength 30kg</li> </ul>
<b>N-9</b>		<b>N - 2P</b> 	14, 17, 18, 19mm	<ul style="list-style-type: none"> <li>- Made from Brass or Steel.</li> <li>- Uses a capped twin prong underpart.</li> <li>- Separation strength 15kg</li> </ul>
<b>N-10</b>		<b>N - 2P</b> 	15, 17, 20, 22mm	<ul style="list-style-type: none"> <li>- Made from Brass</li> <li>- Capped Twin prong underpart.</li> <li>- Separation strength 15kg</li> </ul>
<b>N-12</b>		<b>N - SP</b> 	17mm	<ul style="list-style-type: none"> <li>- Made from Brass or Steel</li> <li>- Attached with a single prong underpart.</li> <li>- Separation strength 30kg</li> </ul>

System Rivet	Available sizes	Rivet Nail	Material
<b>RT - 1</b> 	7 mm    10mm 9.3mm   11.5mm 9.6mm   14.1mm		
<b>RT - 1D</b> 	10.0 mm		
<b>RT - 1E</b> 	11.5 mm	<b>R - A</b>  Short Rivet Nail	Aluminium
<b>RT - 3</b> 	9.3 mm	 Rivet Nail	
<b>RT - 4</b> 	8.0 mm	<b>R - 01</b>  Uncapped Rivet Nail	
<b>RT - 4A</b> 	6.0 mm		Brass
<b>RT - 5</b> 	9.3 mm	<b>R - 02</b>  Capped Rivet Nail	
<b>RT - 5D</b> 	10.0 mm		Copper
<b>RT - 5V</b> 	9.5 mm	<b>R - C</b>  Rivet Nail	
<b>RT - 6</b> 	9.3 mm	<b>Logo</b>  Available with your logo	
<b>RT - 6D</b> 	10.0 mm		
<b>RT - 6E</b> 	11.5 mm		
<b>RT - 8</b> 	9.3 mm		































A close-up, sepia-toned photograph of a baby's face and upper torso. The baby is looking upwards and to the left with a curious expression. They are wearing light-colored overalls with a small, embroidered logo on the chest. The background is a solid, muted red color.

**THE REAL DEAL**  
*styled for individuals*

**SNAP FASTENERS**



## Snap Fasteners

	Cap A	Socket B	Stud C	Post D	
#502	 10 / 11.5mm	 10mm	 8.5mm	 8.5mm	
#486	 Available Sizes: 10 / 11.5 / 12 / 13 / 14 / 15 / 17 / 18 / 19 / 20 / 22 / 23mm	 12mm	 10mm	 10mm	 10mm
#484	 Available Sizes: 10 / 11.5 / 12 / 13 / 14 / 15 / 17 / 18 / 19 / 20 / 22 / 23mm	 13.8mm	 11mm	 11mm	 11mm
#406	 Available Sizes: 10 / 11.5 / 12 / 13 / 14 / 15 / 17 / 18 / 19 / 20 / 22 / 23mm	 10.5mm	 11mm	 11mm	
#405	 Available Sizes: 10 / 11.5 / 12 / 13 / 14 / 15 / 17 / 18 / 19 / 20 / 22 / 23mm	 13.5mm	 13.5mm	 13.5mm	
#915	 15mm	 10.8*14mm	 10.5*13mm	 11mm	
#901B	 18mm	 15mm	 15mm	 15mm	
#507	 12mm	 14mm	 10mm	 11mm	
#508	 15mm	 14mm	 10mm	 11mm	

Pronged Snap Fasteners

	Prong ring/Cap A			Socket B	Stud C	Prong ring/post D
#111 (12 Ligne)		 CAP				
	7.2	8.0		7.6	7.6	7.2
#222 (15 Ligne) Standard			CAP			
	9.6	9.6	PEARL			
	2.8	3.4	0.8	0.8		
			Available Sizes: 9 / 10mm			
			9	9.5	9.5	9.6
#333 (16 Ligne)			SOFT ACTION			
	10.2	Available Sizes: 11.5/12/12.5/ 14/15/17mm	HARD ACTION	A 10.9	10.8	10.2
						
				B 10.9		
#444						
	15			15	15	15
#555						
	21			20.5	20.5	21
#777						
	29			30	30	29

## Alloy Sew on Buttons, Shank Buttons and Metal Buckles

---

### Shank Buttons















### Metal Buckles







### Alloy Sew on Buttons









## Irregular Eyelets



## Grommets



## Hook and Bar

---

### MN987



HOOK



HOOK PLATE



BAR



BAR PLATE

### MSH3L



HOOK




HOOK PLATE



BAR



BAR PLATE



## Metal Plates

Metal Plate (1post)




Metal Plate (2post)




Metal Plate (3post)



Metal Plate (4post)





Metal Plate (sew on)






## Leather Patches and Woven Labels

### Leather & Imitation Leather Patch



### Woven Labels



## Zip Pullers, Cord Ends and Seals

### Zip Puller



### Plastic Seals



### Rubber Pullers



### Metal Cord Ends



## Machines



### PF95-2K

**2 HOPPER**  
Fully Automatic  
Attaching Machine



### SA006

Semi Automatic  
Electric Attaching Machine




### PF90-3K

**3 HOPPER**  
Fully Automatic  
Attaching Machine



### SA007

High Pressure  
Attaching Machine





## Quality Control and R&D



### Needle Detecting Machine

Before leaving our factory, our products can be checked by a needle detector to ensure they are needle free.

### Colour Assessment Cabinet

Due to temperature differences in lighting as well as other conditions resulting in colour differentiations, we offer various light sources in our preparation such as D65 (Natural standard light) TL84 (Europe Standard) CWF (United States Standard) So as to ensure accuracy.



### Impact Button Machine



### Humidifier



### Electric Drum-blast Drying Oven

This machine is used for age testing.



### Micrometer



### Digital Vernier



### Universal Strength Detector

Predominantly in the baby wear industry the pull off strength of our prong snap fasteners do exceed the general international standard of 10kg. Prime Fastener exceeds this standard by offering a pull off strength of 18kg. Our relentless pursuit in quality exceeds our customers expectations.



**Hong Kong (Head office)**

Tel: +852 3590 3345

Unit 08, 11F Kwai Cheong Centre, 42-50 Kwai Cheong road  
Kwai Chung, N.T, Hong Kong

**China**

Tel: +86 0769 8655 8066

No.13 Er Heng road, Kong Wu Industrial zone, Shi Pai Town,  
Dong Guan Guang Dong Province, China

东莞市汇钜服装辅料有限公司

工厂地址：广东省东莞市石排镇孔屋工业区二横路13号

**Cape Town**

Tel:+27 21 442 3200

245 Victoria road, Salt River, 7925, South Africa

**Durban**

Tel: +27 31 566 4740

Suite 1b Rydall Vale Park, 2 Rydall Vale Crescent  
La Lucia Ridge, South Africa

**Johannesburg**

Tel:+27 11 457 3600

Block B, Unit 39 Hingham Field Office Park,  
79 Boeing road, East Bedfordview, Gauteng, South Africa

**Mauritius**

Tel: +230 4605100

27 Rajkoomar Lane, Quatre Bornes  
Mauritius

Email: [prime@primefastener.com](mailto:prime@primefastener.com)



Find us on  
**Facebook**



**[www.primefastener.com](http://www.primefastener.com)**